



आई आर ई एल (इंडिया) लिमिटेड IREL (India) Limited

(Formerly Indian Rare Earths Limited) (भारत सरकार का उपक्रम)

(A Govt. of India undertaking)

CIN: U15100MH1950GOI008187 Website: www.irel.co.in

ISO 9001:2015 & ISO 14001:2015 & ISO 45001:2018 Company



28.05.2022

The Administrator State Environmental Impact Assessment Authority, Kerala KSRTC Bus Terminal Complex, 4th floor Thampanoor Thiruvananthapuram- 695001.

Sir/Madam

Sub :Submission of Half yearly compliance report- Environment clearance of our mining lease of NK Block II EE having an extent of 67 Ha in Chavara & Neendakara Villages, Karunagappally Taluk, Kollam District.

Ref: SEIAA, Kerala letter No 931/A1/2019/SEIAA dated 21.04.2021.

Half Yearly Monitoring Report for 1st Half of 2022.

As per the letter referred above from SEIAA, Kerala conveying the composite Environmental and CRZ clearance for beach sand mining in 67 Ha area in the above villages, we are submitting herewith the half yearly report for first half of 2022.

Regards

Yours Faithfully For IREL (India) limited, Chavara

R.V.Viswanath

General Manager & Head.

Copy to Regional Office, MOEF &CC, Bengaluru.

Half yearly Monitoring Report for the period October 2021 to March 2022

Introduction:

IREL (India) Limited (Formerly Indian Rare Earths Limited), a Government of India undertaking under the Department of Atomic Energy has been engaged in the mining and beneficiation of the heavy minerals from the chavara deposit in Kollam district of Kerala state. IREL has been granted mining lease to collect heavy mineral sand from the area vide G.O.(Ms) 147/98//ID dated 21.10.1998 by the Government of Kerala and IREL obtained Environmental and CRZ clearance vide 931/A1/2019/SEIAA dated 21.04.2021, from SEIAA, Kerala for beach sand mining in 67 Ha area in the villages of Chavara and Neendakara for the production of ROM upto 400000 tonnes per annum from Inland deposits. The Environmental Management Cell is functioning and conducted regular review meetings under the chairmanship of Shri R.V.Viswanath, General Manager & Unit Head for monitoring the environmental activities of the project.

Environmental Policy of IREL: IREL, Chavara is an ISO certified company for Quality and Environment Management and Occupational Health & Safety Management System. Our integrated Management System policy is as follows:

We, at IREL, Chavara are committed to sustain our growth in the supply of beach sand minerals & mineral products through:

Satisfy applicable requirement

Protection of Environment (including prevention of pollution)

Provide safe and healthy working conditions for prevention of work related injury and ill health

Fulfill compliance obligations related to products & Services, environment and occupational health & Safety.

Conservation and protection of natural resources

Eliminate hazards and reduce OH & Risks

Prevention of incidents & ill health

Consultation and Participation of workers.



Location: The project area lies between 08°56'07" N to 76°27'36" E and 9°08'24" N to 76°32'34" E (Toposheet No 58 *Cl* 12). The NH is in very near proximity to the plot. The nearest railway station is Kollam at a distance of about 12 km. M/s Kerala Minerals and Metals Ltd (KMML), a state government undertaking engaged in beach sand mining, beneficiation and pigment production & M/s IREL are the only two major industries in this area.

STATUS OF COMPLAINCE OF EC CONDITIONS

Clause	I EC conditions	Compliances
Olduso	Specific Conditions	
1	No ground water shall be extracted in the CRZ areas to meet the water requirement of the project.	It is ensured that no ground water is extracted in the CRZ areas to meet the water requirement of the project.
2	As per the Ministry's office memorandum F No 22-65/2017 -IA .III dated 1st May 2018, 2% of the project cost shall be earmarked under corporate Environmental Responsibility (CER) for the activities such as support to local government, schools, sanitations and health including construction of public toilet in the surrounding villages, asper the need based assessment carried out.	Year (2021-22) under Corporate Environmental Responsibilities in the affected area.
	The activities proposed under CER shall be restricted to the affected area around the project. The monitoring report shall be submitted to the regional office as a part of the half yearly ompliance report and to the District Collector. It should be posted on the website of the project proponent.	The fel Manageria are extrapo sensor de con- carate anticome de consensor de con-
3	It is noticed that in this project both inland and shore mining will be carried out and a part of the project area falls in CRZ I. As per section 3(X) of Coastal Regulation Zone (CRZ) notification 2011 mining by IREL is an exempted activity and as per clause 4.2 (iii) SEIAA can issue EC on the recommendation of concerned CZMA. As per letter date 6.12.2018 KCZMA has recommended the proposal of IREL. However as IREL is involved in mining rare mineral with	

	Radioactive properties, it is the responsibility of the project proponent to get all the other required clearances from MoEF&CC/KCZMA/ other relevant agencies wherever required before the commencement of mining operations.	
4	Mining operations have to carried out as per the approved mining plan and directions contained in the letter dated 15thApril 2020 of Department of Atomic Energy , GOI: approving the mining plan for NK Block no II EE from 2019-20 to 23-24	Mining operations are carried out as per the approved mining plan.
5	Lease agreement with Govt of Kerala for mining in NK II EE has expired Project proponent has informed SEIAA that as per clause 6(11) of AMCR,2016, the lease holder is eligible for deemed extension of lease until entire reserve is exhausted. However taking enough precautions, Project proponent is directed to get the validity of lease deed extended. The project proponent will commence mining only after execution of valid lease deed with Govt of Kerala.	The matter is with Govt of kerala and we are in the process of getting GO from Govt of Kerala.
6	The project proponent shall follow the Guideline of Government of India and Government of Kerala for sustainable mining and also to address the grievances of local Inhabitants.	Guideline of Government of India and Government of Kerala are followed for sustainable mining. Genuine grievances of local inhabitants are also addressed.
7	In response to the direction of Hon'ble National Green Tribunal, (NGT) New Delhi, in OA 76/2019, a joint committee appointed by NGT under the leadership of Kerala State Pollution Control Board, has submitted a report to NGT about the alleged irregularities committed by IREL from 2001 to 2019 in which interim damage assessment and compensation for temporary restoration activities towards environmental damage caused was estimated at 69.12Crore and the compensation for the excess quantity of mining over and above the permissible quantity was Rs223.81Crore. The case is pending before the Hon'ble NGT for further adjudication and for realization of above estimated compensation. In the best interest of the country, state and IREL, the project proponent shall take all	Substitution of the second of

hon

	precautions while mining so that such a situation will not arise in future.	
8	Ground water recharge and rainwater harvesting structures should be provided in the rehabilitated mined areas, covering all the houses and plots. Included in the resettlement & rehabilitation plan.	Ground water recharge and rainwater harvesting structures are provided by land owners in the rehabilitated houses in mined out areas as per town planner approval.
9	As a part of appraisal of the project, to address all the material environment and social concerns in the project region, a public hearing was also conducted by Kerala state pollution control board on 01.11.2018. As EIA report has also been prepared to address, these concerns expressed during public consultation. Project proponent shall implement activities proposed in the EIA report and environment management plan to ensure the social and ecological security in the project region. SEAC shall conduct regular field inspections to monitor the implementation activities mentioned in EIA report.	The state of the species of the first state of the species of the
10	Authority decided to mark a copy of the EC to department of atomic energy GOI, the agency which has approved the Mining plan, MoEF & CC and, MoEF & CC regional office at Bengaluru and District collector ,Kollam for information and necessary further action.	
11	The Project proponent shall submit half yearly compliance report to SEIAA and Regional office, MoEF &CC Bangalore	MOEF &CC Bengaluru.
12	As this is a Special project of Ecological. Economic, Social and Scientific importance, Authority decided to constitute a committee to monitor the EC conditions under the Chairmanship Chief General Manager & Head, IREL. One of expert members of SEAC nominated by Chairman SEAC shall be member of committee. The District Geologist, a responsible senior officer from IREL, a senior scientist from NCESS who is involved in preparation of the report and a representative from local NGO nominated by DC Kollam, shall be the members of the committee. The committee will meet once in 3 months and monitor the implementation of EC conditions and prepare an inspection report for the compliance EC conditions. The Chief from IREL, Chavara unit shall be the convener of the meeting	Monitoring committee to be constituted with consisting of one of the expert member of SEAC nominated by Chairman ,SEAC involving District Geologist, Senior officer from IREL, Senior Scientist from NCESS, Local representative nominated by DC, Kollam to monitor the EC conditions. Requested DC, Kollam to nominate a Local Representative and the response is awaited.

hus

	and IREL shall provide all logistic support for conduct of meeting and field inspection.	
	and the tree is a season and make the beautiful for the season of the se	
13	Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the mining of Heavy Mineral Sand and Atomic Mineral project of Chief General Manager & Head, Chavara Unit, IREL (India) Ltd., Chavara, Kollam, Kerala 691583 at Chavara village, Block No 19 in Re.sy.no.29,30,31,32,33,38,39,46,47,48,5 3,56,57,63,64,65,66,67,68,70,71,72,73,74,7 5,76,77,78,79,80,82,86,87,88,89,90,91,92,9 3,94,97,120,121,122,123,124,125,126,127,129,147,148,149,151,152,153,154 and Neendakara village Block No.22 inRe.sy.nos.18,19,20,21,22,23,,24,25,26,27,28 Karunagappally Taluk, Kollam District, Kerala over area of 67 Ha for the quantity mentioned in the approved mining plan. The period of EC shall be till the validity of approved mining plan subject to the specific conditions in Para 3 above, and all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I. EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these proceedings as if incorporated herein.	

14	The Clearance issued will also be	Noted
14	subject to full and effective implementation of all the undertakings specified in the Application Form, mitigation measures as assured in the Environment Management Plan and the mining features including progressive mine closure plan as submitted with the application and relied on for grant of this clearance. The above undertakings and the conditions and the undertakings given for Mining, Blasting, Mines Drainage, Stacking of Mineral Rejects and Disposal of Waste, Environment Management Plan & Progressive Mine Closure Plan of the Mining Plan as submitted will be deemed to be part of this proceedings as conditions as undertaken by the proponent, as if incorporated herein.	
15	Validity of the Environmental Clearance will be till the validity of approved mining plan subject to inspection by SEAC on annual basis and compliance of the EC conditions and genuine complaints from residents within the security area of the quarry.	Noted.
16	Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorised offices and also by the Regional Office of the Ministry of Environment, Forest & Climate Change, Govt. of India, Bengaluru. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.	MoEF&CC officers and SEIAA officers by furnishing the requisite data / information / monitoringreports during their inspection.
17	Instances of violation if any shall be reported to the District Collector, Kollam.	Noted.
18	The Half yearly compliance report (HYCRs) with its contents, covering letter, compliance report and	Half yearly reports are submitted regularly as per the required format.

hay

environmental monitoring data has to	
besubmitted in PDF format merged into	
a single document. The e- mail should	
clearly mention the name of the project,	
EC no. and date, period of submission	
and be sent to the Regional office of	
MoEF&CC by email only at email ID	
rosz.bng-mecc@gov.in. Hard copy of HYCRs shall not be acceptable	

General Conditions:

Clause	conditions	Compliances
1	The proponent should provide notarized affidavit indicating the number and date of Environmental Clearance proceedings that all the conditions stipulated in the EC shall be scrupulously followed	Complied.
2	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available on the website of SEIAA www.seiaakerala.in. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to	Complied.
3	the office of this Authority as confirmation The proponent shall send a copy of the clearance letter to the concerned Grama Panchayath/District Panchayath/Municipality/Corporation/Urban Local Body and also to the local NGO, if any. From whom suggestions/representations, if any, were received while processing the proposal. The Environmental Clearance shall also be uploaded on the website of the company	Complied.
4	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40.	Displayed.

ner

5	Consent to Establish and Consent to Operate from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating activity. All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives. Copies of statutory	Consent to Operate from Kerala State Pollution Control Board under Water and Air Act(s) is obtained.
	clearance obtained shall be enclosed along with first half yearly compliance report.	
6	If blasting is involved in the preparation of site, the required clearances from the competent authorities should be obtained.	No blasting is involved in our project.
7	The stipulations/conditions issued by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, Solid Waste Management Rules, 2016 Plastic Waste Management and Handling Rules, 2016, Construction and Demolition Waste Management Rules 2016, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Acts and Notifications are complied.
8	The conditions specified in the EIA notifications 2006 and subsequent amendments, the specific directions given by SEIAA/SEAC should be followed under Corporate Environment Responsibility. The activities carried out under CER should be listed with details in Half yearly compliance report along with Status of Implementation and certificates from the beneficiaries and photographs	notifications, 2006, the specific directions given by SEIAA/SEAC are followed under CER.
9	Safety measures should be implemented as per the Fire and Safety Regulations/SDMA guidelines.	Safety measures are implemented as per the Fire and Safety Regulations/SDMA guidelines.
10	The environmental safeguards contained in the EIA Report should be implemented in letter and spirit and status of implementation of each one should be included in the half yearly compliance Report.	The environmental safeguards contained in the EIA Report are being implemented.
11	Environment Monitoring Committee as agreed under the affidavit filed by the proponent should be formed and made functional. Environmental Monitoring Committee with defined functions and responsibility should foresee post operational environmental problems (Ex.	Environmental Management Cell is functioning and conducts regular review meetings under the chairmanship of Shri R.V.Viswanath, General Manager & Unit Head.

	development of slums near the site, increase in traffic congestion, power failure, increase in noise level, natural calamities, and increase in suspended particulate matter etc.) and action taken to solve these immediately with mitigation measures	
12	Suitable avenue trees should be planted on either side of approach road and internal roads and open parking areas, if any. The proponent should plant trees at least 5 times of the loss of trees that has occurred while clearing the land for the project. The native flowering and fruiting species only shall be used for planting and planning should be done considering the nature of public use.	Plantations are being done in the mined out and rehabilitated area.
13	The project shall incorporate devices for solar energy generation and utilization to the maximum possible extent with the possibility of contributing the same to the power grid and consumption in future.	The possibility of incorporating devices for solar energy generation and utilization in mining areas is under consideration.
14	The proponent shall submit half yearly compliance reports on the status of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the same on their website and shall update the same periodically. The Compliance repot shall be simultaneously sent to the Regional Office of Ministry of Environment, Forests and Climate Change, Govt. of India at Bengaluru and also to SEIAA.	San collen securical premindrate their
15	The project proponent is responsible for implementing all the provisions of labour laws applicable from time to time. Provision should be made for providing facilities and supply of kerosene or cooking gas to the labourers.	The relevant provisions of applicable labor laws are followed from time to time.
16	The proponent shall co-operate with and provide facilities and documents/data to the agencies including the Officials from the Regional of Ministry of Environment, Forests and Climate Change, Bengaluru during their inspection as part of monitoring the implementation of environmental safeguards.	IREL extends support to the officials of Environment, Forests and Climate Change, Bengaluru during their inspection as part of monitoring the implementation of environmental safeguards.



17	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this authority	Noted.
18	In case of transfer of EC, the matter shall be intimated and approval from the Authority shall be obtained as per the existing norms.	Noted.
19	Environmental Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project.	Noted.
20	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environment Clearance under the provisions of the Environment (Protection) Act 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Noted.
21	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 11 of the	
	National Green Tribunal Act, 1997.	n Dhaca
1	General Condition specific to Constructio All statutory permissions including "Consent for Establishment" to STP/ETP, Solid waste management plant, Power Generator etc. shall be obtained from Kerala State Pollution Control Board under Air Act and Water Act and Environment (Protection) Act. A copy shall be submitted to the Ministry/SEIAA before start of any construction work at the site.	Mining operations are carried out with required statutory permissions and clearances.
2	The approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of firefighting equipments, etc. as per National Building Code including protection measures from lightning etc. Building constructed in the runout area of landslide / rock fall area, shall be provided with suitable structures/ measures to prevent earth materials to hit the structure.	Mining operations are carried out with required statutory permissions and clearances.
3	All required sanitary and hygienic measures should be in place before starting construction activities which are to be maintained throughout the construction phase	Noted.

4	A First Aid Room shall be provided at the project site both during construction and operation phases of the project	A full time dispensary is located inside the project area.
5	Provide safe and health basic facilities for construction workers as per the Building and Other Construction Workers (Regulation of Employment and Condition of Service) Act,1996	Noted.
6	Adequate drinking water and sanitary facilities should be provided for construction workers at the site, Provision should be made for mobile toilets. Safe disposal of wastewater and solid wastes generated including piling debris during the construction please should be ensured	Noted.
7	Unless provided otherwise, all the topsoil excavated during construction phase should be stored and re-used for backfilling horticulture/landscaping purposes within the project site	The top soil also contains the minerals; hence they are excavated and transported to plant for separation.
8	Top soil excavated should not be used for reclaiming wet lands	The top soil also contains the minerals, hence they are excavated and transported to plant for separation
9	The muck shall be disposed of only at approved sites with the approval of competent authority. The disposal should not create any adverse effect on the neighboring communities and should be disposed taking necessary precautions for general safety and health of the public. Proof regarding the same shall be enclosed with the respective six monthly compliance reports.	
10	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such materials must be secured so that they will not leach into the ground water	No construction activities are involved in this project.
11	Any hazardous waste generated during construction phase, should be disposed off to authorized/approved Waste Collectors as per applicable rules and norms with necessary approval of the Kerala State Pollution Control Board	No construction activities are involved in this project.
12	Soil and ground water samples shall be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants	

hay

13	Storm water control and its re-use measures as per CGWB and BIS standards shall be followed for various Applications.	Not applicable.
14	Vehicles hired for bringing construction material to the site-should be in good condition and should have a pollution check certificate and should conform to the	No construction activities are involved in this project.
	applicable air and noise emission standards and should be operated only during non-peak hours. During the transportation of building materials/products, the vehicles shall be covered with suitable materials to prevent dust Pollution.	
15	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/KSPCB	Noise levels are monitored and are within the limits.
16	The diesel generator sets used during construction phase should be of low sulphur diesel type and should conform to	No construction activities are involved in this project.
	Environment (Protection) Rules prescribed for air and noise emission standards. The diesel required for operating DG sets shall be stored in underground tanks and if required. clearance from Chief Controller of Explosives shall be taken. DG sets shall be installed and made functional as per guidelines of KSPCB.	
17	Ready mixed concrete must be used in building construction. Water demand during construction should be reduced by use of pre-mixed concrete. Curing agents and other best practices referred.	
18	Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project	No ground water is drawn for this project.
19	Separate dual plumbing line should be provided; one line for Toilet Flushing/ Gardening / Vehicle wash and another separate line for other domestic uses, for ensuring reuse / recycle of treated waste water to the maximum extent possible	in this project.

20	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water	No construction activities are involved in this project.		
21	Fixtures for showers, toilet flushing and drinking should be of lowflow either by use of aerators or pressure reducing devices or sensor based control	No construction activities are involved in this project.		
22	Water efficient plumbing features should be adopted	No construction activities are involved in this project.		
23	Use of glass may be reduced by 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating on windows	in this project.		
24	Design of the building should be in compliance to Energy Building Code as Applicable.	No construction activities are involved in this project.		
25	Roof should meet perspective requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill the requirement.	No construction activities are involved in this project		
26	Opaque wall should meet perspective requirement as per energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is optional for non- air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	No construction activities are involved in this project.		
27	Climate responsive design as per Green Building Guidelines in practice should be adopted	No construction activities are involved in this project.		
28	Building design should cater to the differently-abled citizens	No construction activities are involved in this project		
29	Exposed roof area and covered parking should be covered with material having high solar reflective index	No construction activities are involved in this project.		
30	Vegetation should be adopted appropriately on the ground as well as over built structure such as roofs, basements, podiums etc.	:in this project		
31	Regular supervision of the above and other measures should be in place all throughout the construction phase, so as to avoid Disturbance to the surroundings.	No construction activities are involved in this project.		
32	Fly ash should be used as building material in construction as per the provisions of Fly Ash Notification of September, 1999 and Amended as on 27 August 2003 (Applicable to Power Stations)	in this project.		

.7.7	Under the provisions of Environment	No construction activities are involved
33	(Protection) Act, 1986, legal action shall be	in this project
	initiated against the project proponent if it	The time project
	was found that construction of the project	
	has been started without obtaining the	
	statutory clearances.	
	General Condition specific to Operation P	hase
1	The buildings should have adequate	
	distance between them to allow movement	
	of fresh air and passage of natural light and	
	ventilation.	
2	Sewage Treatment Plant (STP) should be	Not applicable.
-	installed and made functional as per KSPCB	Not applicable.
650	guidelines. On/site Treatment of Sewage	The comment will be a superficient of the supe
	and Sludge should be done with scientific	i i
	method ensuring efficiency of treatment,	
	ease in operation , sustainability and it	
	should contain the units of	
	primary, secondary, tertiary and quaternary	
	type of treatment scheme. The installation	
	of the STP should be certified by an	
	independent expert and a report in this	
	regard should be submitted to the	
	Ministry/SEIAA before the project is	aller and the second of the se
	commissioned for operation.	
	Treated effluent emanating from STP shall	
	be recycled / reused to the maximum	
	extent possible. Treatment of 100% grey	
	water shall be done through a	
	decentralized treatment. Reuse of water	
	shall be practiced for flushing process and	
	garden purposes. Discharge of unused	1
	treated effluent shall conform to the norms	
	and standards of the Kerala State Pollution	
	Control Board. Necessary measures	
	should be taken to mitigate the odour	
	problem from STP.	
3	Solid waste management plant shall be	In practice.
	installed and made functional as per the	
	guidelines of KSPCB. The solid waste	
	generated should be properly collected	
	and segregated. Wet garbage should be	
	composted and dry/inert solid waste should	
	be disposed off to the approved sites for	
	land filling after recovering recyclable	
	material. Adequate measures should be	
	taken to prevent odour problem from solid	
	waste processing plant and STP.	
4	Provide adequate Material Collection	In practice.
4		

	biodegradable waste Including piastre waste and E waste, for handing over the same to Recyclers/ Local Body , as stipulated by Kerala State Pollution Control Board.	
5	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets.	our mining project.
6	Low sulphur diesel shall be used as fuel in DG sets. The location of the DG sets may be decided in consultation with Kerala State pollution Control Board. DG sets should not be housed in sub-basement levels.	DG sets are not used in mining areas.
7	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time, the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	Noise levels are monitored and are within limits.
8	The green belt of adequate width and density shall be raised preferably with local species along the periphery of the project site so as to provide protection against particulate matter and noise	Plantations are provided in mined out and refilled area.
9	Weep holes shall be provided in the compound walls to ensure natural drainage of rain water during the monsoon period.	It is maintained.
10	Rain Water Harvesting structures should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified elsewhere. Rain water harvesting measures for roof run-off and surface run- off, as per approved building plan should	Noted.
	be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The borewell for rainwater recharging should be kept at least 5 m above the highest ground water table.	The second control of
11	The ground water level and its quality should be monitored regularly in consultation with State Groundwater Department/Central Ground Water Authority.	Water samples are collected and a rebeing made and the reports are attached as Annexure.

My

12	Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized	In practice.
13	A Report on the energy conservation measures, conforming to energy conservation norms issued by Bureau of Energy Efficiency, should be prepared incorporating details about building materials & technology, R & U Factors etc. and submit to the Ministry in three months time.	
14	Energy conservation measures like installation of LED /CFLs/TFLs for the lighting the areas outside the building should be an integral part of the project design and should be in place before project commissioning. Used LED/CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Solar panels may be used to the extent Possible.	Energy conservation measures are implemented.

Study on Ground Water & Ambient Air Monitoring:

We have conducted Ambient air monitoring and ground water analysis of the samples from the open wells in the mining area and nearby areas during the period from October 2021 to March 2022. The analysis of the samples were done through M/s Standards Environmental & Analytical Laboratories, Udyogamandal, Ernakulam, an NABL accredited laboratory. The results are consolidated below:

Ambient Air Monitoring:

Parameters	KSPCB Limit	Near Karithura Church	Plant no. 1 Jetty	132 mining site office
Particulate Matter PM10 (u g/m³)	100	51.7	78.5	73.1
Particulate Matter PM2.s (ug/m ³)	60	24.6	41.6	39.4

My

Sulphur (ug/m ³ }	Dioxide	80.0	<2.00	<2.00	<2.00
Nitrogen (ug/m ³)	Dioxide	80.0	<2.00	<2.00	<2.00
Carbon (ug/m ³ }	Monoxide	4.0	0.21	0.40	0.49

Ground water Analysis:

	Location			
Parameters	Acceptable limit 5.00(max)	Excavation pit	Cherusseribhag am 1.00	Tubewell
Colour (Hazen)				
Odour	Agreeable	Agreeable	Agreeable	Agreeable
Turbidity (NTU)	1.0	0.4	0.4	0.6
рН	6.5-8.5	6.92	6.98	6.92
Total Dissolved Solids (mg/L)	500 (max)	285	305	285
Total Hardness (as CaCO3) (mg/L)	200 (max)	98 :	. • 90	104
Calcium (as Ca) (mg/L)	75.0 (max)	24.8	27.2	30.2
Magnesium (as Mg) {mg/L)	30.0 (max)	8.77	6.33	4.33
Chloride {as Cl) {mg/L)	250 (max)	98.9	129	157
Iron (as Fe) (mg/L)	1.00 (max)	0.25	0.31	0.28
Total Coli form Bacteria (MPN/100ml)	Absent/100 ml	Absent/100 ml	Absent/100 ml	Absent/100 ml
E coli	Absent/100 ml	Absent/100 ml	Absent/100 ml	Absent/100 m

