

आईआरईएल (इंडिया) लिमिटेड IREL (India) Limited

(Formerly Indian Rare Earths Limited) (भारत सरकार का उपक्रम)

(A Govt. of India Undertaking)

CIN: U15100MH1950GOI008187 Website: www.irel.co.in

ISO 9001:2015 & ISO 14001:2015 Company



CH/MNG/62.204 Ha/2023 24.11.2023

The Administrator, State Environmental Impact Assessment Authority, Kerala. KSRTC Bus Terminal Complex, 4th Floor. Thampanoor. Thirvanathapuram -695001

Sir/Madam,

Sub: Submission of Half yearly Compliance Report to MoEF & CC Environment clearance of our mining lease of NK Block II having an area of 62.204 Ha in Chavara & Neendakara Villages, Karunagapally Taluk, Kollam district – reg.

Ref: SEIAA, Kerala letter No. 932/A1/2019/SEIAA dated 21.04.2021

As per the letter referred above, from SEIAA, Kerala conveying the composite Environmental and CRZ clearance for beach sand mining in 62.204 Ha area in the above villages, we are submitting herewith the Half yearly report for the 2nd Half of 2023.

Regards.

Yours faithfully, For IREL (India) Limited, Chavara

General Manager & Head

Copy to Regional Office, MoEF&CC, Bengaluru

Half yearly Monitoring Report for the period April 2023 to September 2023 Introduction:

IREL (India) Limited (Formerly Indian Rare Earths Limited), a Government of India undertaking under the Department of Atomic Energy has been engaged in the mining and beneficiation of the heavy minerals from the chavara deposit in Kollam district of Kerala state. IREL has been granted mining lease to collect heavy mineral sand from the area vide G.O.(Ms) 22/2005/ID dated 22.02.2005 & G.O.(MS) no. 32/2006/ID dated 15.03.2006 and further extended vide GO MS .No 49/2023/ID dated 07.07.2023 by the Government of Kerala and IREL obtained composite Environmental and CRZ clearance vide 932/A1/2019/SEIAA dated 21.04.2021, from SEIAA, Kerala for beach sand mining in 62.204Ha (Block-II) area in the villages of Chavara and Thekkumbhagom (Neendakara) for the production of ROM up to 2,00,000 tons per annum from Inland deposits and 20,000 tonnes per annum from replensible deposits. The Environmental Management Cell is functioning and conducted regular review meetings under the chairmanship of Shri R.V.Viswanath, Chief General Manager & Unit Head for monitoring the environmental activities of the project.


Environmental Policy of IREL: IREL, Chavara is an ISO certified company for Quality and Environment Management and Occupational Health & Safety Management System. Our integrated Management System policy is as follows: We, at IREL, Chavara are committed to sustain our growth in the supply of beach sand minerals & mineral products through:

- 1. Satisfy applicable requirements.
- 2. Protection of Environment (including prevention of pollution).
- 3. Provide safe and healthy working conditions for prevention of work related injury and ill health.
- 4. Fulfill compliance obligations related to products & services, environment and occupational health & safety.
- 5. Conservation and protection of natural resources.
- 6. Eliminate hazards and reduce OH & Risks.
- 7. Prevention of incidents & ill health.
- 8. Consultation and Participation of workers.

Location: The project area lies between 08°57'38.25"N to 76°31'50.97"E and 9°02'14.90"N to 76°30'31.11"E (Toposheet No 58 C/ 12). The NH is in very near proximity to the plot. The nearest railway station is Kollam at a distance of about 12 Km. M/s Kerala Minerals and Metals Ltd (KMML), a state government undertaking engaged in beach sand mining, beneficiation and pigment production & M/s IREL are the only two major industries in this area.

STATUS OF COMPLAINCE OF EC CONDITIONS

Specific C Clause	EC conditions	Compliances
1 2	The monitoring of changes in shore line along the chavara coast (particularly the shore adjacent to mining site) shall be carried out by NCESS once in two years and report shall be submitted to the regional office of MoEF&CC, Bangalore. No Groundwater shall be extracted	
2	in the CRZ areas to meet the water requirements of project.	CRZ areas to meet the water requirement of the project.
3	As perthe Ministry's office memorandum F No 22-65/2017 -IA .III dated 1 st May 2018, 2% of the project cost shall be earmarked under corporate Environmental Responsibility (CER) for the activities such as support to local government, schools, sanitations and health including construction of public toilet in the surrounding villages as per the need based assessment carried out. The activities proposed under CER shall be restricted to the affected area around the project. The monitoring report shall be submitted to the regional office as a part of the half yearly compliance report and to District Collector. It should be posted on website of the project proponent.	Construction of Anganvadi building for a worth of Rs.17.84 lakhs is in progress under Corporate Environmental Responsibility (CER) in the affected area.
4	It is noticed that in this project both inland and shore mining will be carried out and a part of the project area falls in CRZ I. As per section 3(X) of Coastal Regulation Zone (CRZ) notification 2011 mining by IREL is an exempted activity and as per clause 4.2 (iii) SEIAA can issue	Mining activities are carried out with relevant clearances from MoEF&CC/KCZMA.



	EC on the recommendation of concerned CZMA. As per letter date 7.12.2018 KCZMA has recommended the proposal of IREL. However as IREL is involved in mining rare mineral with radioactive properties, it is the responsibility of the project proponent to get all the other required clearances from MoEF&CC/KCZMA other relevant agencies wherever required before the Commencement of mining operations	Natad
5	EC is subject to the final decision in OA 76/2019 of Hon'ble National Green Tribunal (NGT), New Delhi.	Noted.
6	Mining operations have to carried out as per the approved mining plan and directions contained in the letter dated 17 th September 2019 of Department of Atomic Energy, GOI, approving the mining plan for NK Rlock no II from 201'9-20 to 23-24.	Mining operations are carried out as per the approved mining plan.
7	Lease agreement with Govt. of Kerala for mining in Block II has	response from the State Government (Directorate of Mining and Geology) for fixing the stamp duty charges.
8	The project proponent shall follow the Guideline of Govt. of India and Govt. of Kerala for sustainable mining and also to address the grievances of local inhabitants.	Guidelines of Govt. of India and Govt. of Kerala are followed for sustainable mining. Genuine grievances of local inhabitants are also addressed.

9	Government of Kerala has instituted	Recommendations of NCESS are
9	a study through NCESS to ensure	followed for sustainable mining.
	sustainable mining leading to Social	
	and Ecological security of project	
	region. The project proponent shall	
	follow the recommendation of	
	NCESS in mining operations. This was also insisted in the letter dated	
	16th June 2020 of MoEF&CC	
	addressed to SEIAA.	The suggestions made by Joint
10	In response to the direction given by	Committee are implemented in the
	NGT in OA 76/2019, the report of	possible way in the interest of
	the joint committee submitted on	sustainable mining.
	02.11.2019 constituted by NGT. In	Sustamable mining.
	this report the committee has made	
	some suggestions for sustainable	
	mining by IREL. The project	
	proponent shall explore the	
	possibilities of implementing	
	suggestions in the best interest of	
	sustainable mining	to be help
11	In response to the direction of	IREL will ensure sustainable
	Hon'ble National Green	mining in the project area and
	Tribunal,(NGT) New Delhi, in OA	implement necessary precautions
	76/2019, a joint committee	to prevent similar situation in
	appointed by NGT under the	future.
	leadership of Kerala State Pollution	
	Control Board, has submitted a	
	report to NGT about the alleged	
	irregularities committed by IREL	
	from 2001 to 2019 in which interim	
	damage assessment and	
	compensation for temporary	
	restoration activities towards	
	environmental damage caused was	
	estimated at 69.12Crore and the	
	compensation for the excess	
	quantity of mining over and above	
	the permissible Quantity was	
	Rs223.81Crore. The case is	
	pending before the honorable NGT	
	for further adjudication and for	
	realization of above estimated	
	Tealization of above commuted	

	compensation. In the best interest of the country, state and IREL, the project proponent shall take all precautions while mining so that such a situation will not arise in future.	
12	Grounds water recharge and rainwater harvesting structures should be provided in the rehabilitated mined areas, covering all the houses and plots. Included in the resettlement & rehabilitation plan.	Ground water recharge and rainwater harvesting structures are provided by land owners in the rehabilitated houses in mined out areas as per town planner approval.
13	As a part of appraisal of the project, to address all the material environment and social concerns in the project region, a public hearing was also conducted by Kerala State Pollution Control Board on 01.11.2018. An EIA report has also been prepared to address, these concerns expressed during consultation. Project proponent shall implement activities proposed in the EIA report and environment management plan to ensure the social and ecological security in the project region. SEAC shall conduct regular field inspections to monitor the implementation activities mentioned in EIA report	Activities proposed in the EIA and EMP report are implemented. Rs.30.36 lakhs spent towards coastal protection work during this period.
14	Authority decided to mark a copy of the EC to department of Atomic Energy GOI, the agency which has approved the mining plan, MOEF&CC Bengaluru, Regional office, MOEF & CC, Bengaluru.	Noted.
15	The Project proponent shall submit half yearly compliance report to SEIAA and Regional office, MoEF-&CC Bengaluru.	Half yearly compliance report is submitted to SEIAA, Kerala and Regional Office, MOEF &CC Bengaluru.
16	As this is a Special project of Ecological. Economic, Social and	Monitoring committee will be constituted consisting of one of the



Authority Scientific importance, decided to constitute a committee to monitor the EC conditions under the of expert Chairmanship one members of SEAC nominated by SEAC. The District Chairman Geologist , a responsible senior officer from IREL, a senior scientist from NCESS who is involved in preparation of the report and a representative from local NGO nominated by DC Kollam. Shall be the members of the committee. The committee will meet once in 3 monitor the months and implementation of EC conditions and prepare an inspection report for the compliance EC conditions. The representative from IREL shall be the convener of the meeting and IREL shall provide all logistic support for Conduct of meeting and field inspection.

SEAC of member expert nominated by Chairman, SEAC involving District Geologist, Senior officer from IREL, Senior Scientist from NCESS Local representative nominated by DC, Kollam to conditions. EC the monitor Kollam to DC. Requested nominate a Local Representative and the response is awaited.

17

Environmental Clearance as per the EIA Notification 2006 is hereby accorded for the mining of Heavy Mineral Sand and Atomic Mineral project of Chief General Manager & Head, Chavara Unit, IREL (India) Kerala Chavara, Kollam, Ltd., 691583 at Neendakara Village, Block-22 in Re-Survey Nos. 1 to 3, 21/1 to 21 /6, 21/12, 22/1 to 22/6, 23/1 to 23/3, 24/1 to 24/6, 46 to 52, 92 to 101 and the sea purampoke Neendakara bounding west of Village, Block-22 containing an area of 55.53 Acres and at Chavara Village, Block I9 in Re-S4rvey Nos. 25, 26 to 29. 33 to 37, 40 to 46, 49 to 52, 54 to 56 of Karunagappally Taluk, Kollam District, Kerala over an area of 62.024 Ha for the

Noted.

	quantity mentioned in the approved mining plan. The period of EC shall be till the validity of approved mining plan subject to the specific conditions in Para3 above, and all the environmental impact mitigation and management measures undertaken by the project proponent in the Form I. EMP, PFR and Mining plan submitted to SEIAA. The assurances and clarifications given by the proponent will be deemed to be a part of these Proceedings as if incorporated herein.	
18	The Clearance issued will also be	Noted.
	subject to full and effective	
	implementation of all the	
	undertakings specified in the	
	Application Form, mitigation	
	measures as assured in the	
	Environment Management Plan and	
	the mining features including	
	progressive mine closure plan as	
	submitted with the application and	
	relied on for grant of this clearance.	
	The above undertakings and the	
	conditions and the undertakings	
	given for Mining, Blasting, Mines Drainage, Stacking of Mineral	
	Drainage, Stacking of Mineral Rejects and Disposal of Waste,	
	Environment Management Plan &	
	Progressive Mine Closure Plan of	
	the -Mining Plan as submitted will	
	be deemed to be part of this	
	proceedings as conditions as	
	undertaken by the proponent, as if	
	Incorporated herein.	
19	Validity of the Environmental	Noted.
	Clearance will be till the validity of	
	approved mining plan subject to	
	inspection by SEAC on annual basis	
	and compliance of the EC	

	conditions and genuine complaints from residents within the security area of the quarry.	
20	Compliance of the conditions herein will be monitored by the State Environment Impact Assessment Authority or its authorized offices and also by the Regional Office of the Ministry of Environment, Forest &.Climate Change. Govt. of India, Bengaluru. Necessary assistance for entry and inspection should be provided by the project proponent and those who are engaged or entrusted by him to the staff for inspection or monitoring.	the MoEF & CC officers and
21		Noted.
22	The Half yearly compliance report (HYCRs) with its contents, covering Letter, compliance report and environmental monitoring data has to be submitted in PDF format merged into a single document. The e- mail should clearly mention the name of the project, EC no. and date, period of submission and be sent to the regional office of MoEF&CC by email only at email ID rosz.bng mecfcc@gov.in. Hard copy of HYCRs shall not be acceptable	Half yearly reports are submitted regularly as per the required format.

General Conditions:

Clause	EC conditions	Compliances
1	The proponent should provide notarized affidavit indicating the number and date of Environmental Clearance proceedings that all the conditions stipulated in the EC shall be scrupulously followed	Complied.



	The project proponent should	
2	advertise in at least two local	Complied.
-	newspapers widely circulated in the	
	region, one of which shall be in the	
	vernacular language informing that	
	vernacular language informing the	
	the project has been accorded	
	Environmental	
	copies of clearance letters are	
	available on the website of SEIAA	
	www.seiaakerala.in.	
	The advertisement should be made	
	within 10 days from the date of	
	receipt of the Clearance letter and a	
	copy of the same signed in all pages	
	should be forwarded to the office of	
	this Authority as confirmation	
	The proponent shall send a copy of	
	1-41- to the	Complied.
3	the clearance lotte.	
	Contocinion	
	/District Panchayath	
	/Municipality/Corporation/Urban	
	Local Body and also to the local	
	NGO, if any. From whom	
	suggestions/representations, if any,	
	were received while processing the	
	proposal. The Environmental	
•	Clearance shall also be uploaded on	
	the website of the company. The details of Environmental	Displayed.
4	Clearance should be prominently	
	displayed in a metallic board of 3 ft x	
	3 ft with green background and	
	vellow letters of Times New Roman	
	font of size of not less than 40.	- Kanak
5	Consent to Establish and Consent	Consent to operate from Keral
	to Operate from Kerala State	State Pollution Control Boss
	Pollution Control Board under Water	under Water and Air Act(s) i
	and Air Act(s) should be obtained	The second secon
19 28 18	and Air Act(s) should be obtained	
	before initiating activity. All other	
	Statillory Clearances officers	
	obtained, as applicable, by project	
	proponents from the respective competent authorities including that	

	for blasting and storage of	
	explosives. Copies of statutory	
	clearance obtained shall be	
	enclosed along with first half yearly	
	compliance report.	No blasting is involved in our
	It Masting is involved	
6	preparation of site, the required	project.
	clearances from the competent	
	authorities should be obtained.	The stipulations/ conditions
	The stipulations/conditions issued	The stipulations/ conditions issued by statutory authorities
7	by Statutory Authorities under	under different Acts and
	different Acts and Notifications	Notifications are complied.
	challed be complied with	Notifications are say
	the provisions of Water (Prevention	
	and Control of Pollution) Act, 1974,	
	the Air (Prevention and control of	
	Pollution) act 1981, the Environment	
	(Protection) Act, 1986, Solid Waste	
	Management Rules,2016 Plastic	
7	Waste Management and Handling	
	Rules, 2016, Construction and	
	Demolition Waste Management	The stipulated conditions as per
	The conditions specified in the EIA	1 2006 the
8	notifications 2006 and subsequent	when by the
	amendments, the specific directions	C II ad Lindar
	given by SEIAA/SEAC should be	
	followed under Corporate	
	Environment Responsibility.	
	activities carried out under CER	
	should be listed with details in Half	
	yearly compliance report along with	
	ctatus of middination	
	certificates from the beneficiaries	
	and photographs.	Safety measures are
		implemented as per the fire and
9	implemented as per the fire and Regulations/SDMA	
	00.00	guidelines.
	guidelines. The environmental safeguards	The environmental safeguard
Fermi		FIA Deport ar
10	contained in the EIA Report should	
	be implemented in letter and spirit	
	and status of implementation cach one should be included in the	e
	each one should be included in the	

y	half yearly compliance report.	Environmental Management Cell
11	Environment Monitoring Committee as agreed under the affidavit filed by	is functioning and conducts
	the proponent should be formed and	regular review meetings under
	made functional. Environmental	the chairmanship of Shri.
	Monitoring Committee with defined	R.V.Viswanath, Chief General
	functions and responsibility should	Manager & Unit Head.
	foresee post operational	
	environmental problems (Eg.	
	development of slums near the site,	
	increase in traffic congestion, power	
	failure, increase in noise level,	
	natural calamities, and increase in	
	suspended particulate matter etc.)	
	and action taken to solve these	
	Immediately with mitigation	
	measures.	The state of the s
12	Suitable avenue trees should be	
	planted on either side of approach	mined out area.
	road and internal roads and open	
	parking areas, if any. The proponent	
	should plant trees at least 5 times of	
	the loss of trees that has occurred	
	while clearing the land for the	
	project. The native flowering and	
	fruiting species only shall be used	
	for planting and planning should be	
	done considering the nature of	
	public use.	The possibility of incorporating
	The project shall incorporate	a -les oporal
13	devices for solar energy generation	· (::Ai-m in
	and utilization to the maximum	gonorano
	possible extent with the possibility of	consideration and work will be
	contributing the same to the power grid and consumption in future.	taken up during financial period
	grid and consumption in rate.	2023-24.
	The proponent shall submit hal	f Half yearly reports are submitted
	yearly compliance reports on the	(I - magniro)
14		
	status of the supulation	
	monitored data (both in hard copies	
	as well as by e-mail) and upload the	
	same on their website and sha	
	Same on their wester	

	L II III. Tho	
	update the same periodically. The	
	Compliance repot shall be	
	simultaneously sent to the Regional	
	Office of Ministry of Environment,	
947	Forests and Climate Change, Govi.	
	of India at Bengaluru and also to	
3	SEIAA	The relevant provisions of
	The project proponent is responsible	The relevant provious
15	for implementing all the provisions	applicable labor labor
15	of labor laws applicable from time to	followed from time to time.
	time. Provision should be made for	
	providing facilities and supply of	
	kerosene or cooking Gas to the	
	The proponent shall co-operate with	IREL extends support to the
	The proportent shall be operated	officials of Environment, Forests
16	and provide facilities and documents/data to the agencies	and Climate Change, Bengaluru
	documents/data to the agents/data to the agents/dat	(also SEIAA, Kerala) during their
		inspection as part of monitoring
	Regional of Ministry of Environment, Forests and Climate Change,	the implementation of
		environmental safeguards.
	Bengaluru during their inspection as	
w .	part	
	Implomenta	
	safeguards.	
	In the case of any change(s) in the	Noted.
17	scope of the project, the project	
	would require a fresh appraisal by	
	this authority.	
	In case of transfer of EC, the matter	Noted.
18	shall be intimated and approval from	Noted.
	the Authority shall be obtained as	
	per the existing norms.	
	Environmental Clearance is subject	Noted.
19	to final order of the Hon'ble	Noted.
	Supreme Court of India in the matter	
	of Goa Foundation Vs. Union of	
	India in Writ Petition (Civil) No.460	
	of 2004 as may be applicable to this	
	project	
	The Authority reserves the right to	
00	add additional safeguard measures	Noted.
20	subsequently, if found necessary	,
	and to take action including revoking	
	and to take action including rovering	

	of the Environment Clearance under the provisions of the Environment (Protection) Act 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	
21	Any appeal against this	

General Conditions specific to Construction Phase.

	construction phase.	" in located
4	A First Aid Room shall be provided at	A full time dispensary is located
	the project site both during	inside the project area.
	construction and operation phases	
	of the project.	
5	Provide safe and health basic	Noted.
Ü	facilities for construction workers as	
	per the Building and Other	
	Construction Workers (Regulation of	
	Employment and Condition of	
	Service) Act.1996	
6	Adequate drinking water and sanitary	Noted.
	facilities should be provided for	
	construction workers at the site,	
	Provision should be made for mobile	
	toilets. Safe disposal of wastewater	
	and solid wastes generated including	
	piling debris during the construction	
	please should be ensured.	The top soil also contains the
7	Unless provided otherwise, all the	minerals; hence they are excavated
	topsoil excavated during construction	minerals, hence they are short for
	phase should be stored and re-used	separation.
	for backfilling	separation.
	horticulture/landscaping purposes	
	within the project site	The top soil also contains the
8	Top soil excavated should not be	minerals hence they are excavated
	used for reclaiming wetlands.	and transported to plant for
		separation
	- I I I I I I I I I I I I I I I I I I I	t' activition are
9	The muck shall be disposed of only	
	at approved sites with the approval of	
	competent authority. The disposal	
	should not create any adverse effect	
	on the neighboring communities and	
	should be disposed taking necessary precautions for general safety and	
	health of the public. Proof regarding	
	the same shall be enclosed with the	
	respective six monthly compliance	
	reports. Construction spoils, including	No construction activities ar
10	Collection	
	bituminous material and other hazardous materials, must not be	
	hazardous materials, must not be	



	allowed to contaminate watercourses	
	and the dump sites for such materials must be secured so that they will not	
	leach into the ground water.	No construction activities are
11	Any hazardous waste generated during construction phase, should be disposed off to authorized/approved. Waste collectors as per applicable rules and norms with necessary approval of the Kerala state pollution control board.	involved in this project.
12	Soil and ground water samples shall be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Leaching of heavy metals and other toxic contaminants are not involved in this project, however ground water samples are tested and report is enclosed as Annexure Not applicable.
13	Storm water control and its re-use measures as per CGWB and BIS standards shall be followed for various applications.	ti iti a ara
14	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to the applicable air and noise emission standards and should be operated only during non-peak hours. During the transportation of building materials/product, the vehicles shall be covered with suitable materials to prevent dust pollution.	involved in this project.
15	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/KSPCB.	within the limits.



16	The diesel generator solo area	No construction dotring	are
	MITTING CONSTITUCTION PRICES	involved in this project.	
	of low sulphur diesel type and should		
	conform of environment (Protection)		
	Rules prescribed for air and noise		
	emission standards. The diesel		*
	required for operating DG sets shall		
	be stored in underground tanks and if required. clearance from Chief		
	required, clearance from Chief Controller of Explosives shall be		
	taken. DG sets shall be installed and		
	made functional as per guidelines of		
	KSPCB.	No construction activities	are
17	Ready mixed concrete must be used	140 COLIDERACIO	ale
	in building construction. Water	involved in this project.	
	demand during construction should		
	be reduced by use of pre-mixed		
	concrete, curing agents and other		
	best practices referred. Permission to draw ground water	No ground water is drawn for	this
18	shall be obtained from the competent	project.	
	Authority prior to		
	construction/operation of the project.	0.10	oro
19	Separate dual plumbing line should	No construction activities	are
10	he provided: one line for lollet	IUAQIAEG III filis biologi	
	Flushing / Gardening / Vehicle wash		
	and another separate line for other		
	domestic uses, for ensuring reuse /	*	
	recycle of treated waste water to the		ana.
	maximum extent possible. Separate of grey and black water	No construction activities	are
20	should be done by the use of dual	involved in this project.	
	plumbing line for separate grey and		
	black water.	ti - etivitios	are
21	Fixtures for showers, toilet flushing	NO construction	
	and drinking should be of low flow	IUAOIAed III ruis biologii	
	either by use of aerators or pressure		
	reducing devices or sensor based		
	control.	No construction activities	are
22	Water efficient plumbing features	involvedin this project.	
	should be adopted. Use of glass may be reduced by	No construction activities	are
23		involvedin this project.	
	40% to reduce the electricity		



10	consumption and load on air			
	anditioning If necessary, use night			
	quality double glass with special			
	reflective coating on window.	No construction activities are		
21	Design of the building should be in	No construction activities are		
	compliance to Energy Building Code	involvedin this project.		
	as applicable.	No construction activities are		
	Roof should meet perspective	No construction activities are involved in this project.		
	requirement as per Energy	Involvedin ting projects		
	Conservation Building Code by			
	using appropriate thermal insulation			
	material to fulfill the requirement.	No construction activities are		
26	Onague wall should meet	No construction activities are involved in this project.		
	perspective requirement as per	IUAQIAEQILI IIIIQ bi elean		
	Energy Construction Building Code			
	which is proposed to be mandatory			
	for all air conditioned spaces while it			
	is optional for non-air-conditioned			
	spaces by use of appropriate			
	thermal insulation material to fulfill			
	requirement.	No construction activities are		
27	Climate responsive design as per	involvedin this project.		
	Green Building Guidelines			
	practice should be adopted.	No construction activities are		
28	Building design should cater to the	involvedin this project.		
	differently-abled citizens.	No construction activities are		
29	Vegetation should be adopted	involvedin this project.		
	appropriately on the ground as well appropriately on the ground as well appropriately on the ground as roofs.			
	as over built structure such as roofs,			
	basements, podiums etc.	No construction activities are		
30	Exposed roof area and covered with	involvedin this project.		
	parking should be covered with material having high solar reflective			
		activities ar		
	Regular supervision of the above	No construction addition		
31	Regular supervision of the asset	involvedin this project.		
	place all throughout the construction			
	phase, so as to avoid disturbance to			
	phase, so as to avoid distance			
	the surroundings. Fly ash should be used as building	No construction activities ar		
32	material in construction as per the	involvedin this project.		
	provisions of Fly Ash Notification of			
	September, 1999 and Amended as			
	September, 1999 and Amondo	Page 1		



	on 27 th August 2003. (Applicable to	
	Power Stations).	No construction activities are
33	Under the provisions of Environment (Protection) ACT, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining the statutory clearance.	involvedin this project.

General Conditions specific to Construction Phase.

	EC conditions	Compliances
Clause	EC conditions	Adequate distances are maintained.
1	The buildings should have adequate	
	distance them to allow movement of	
	the fresh air and passage of natural	
	light and ventilation.	N. t. amiliophia
2	Sewage Treatment Plant (STP)	Not applicable.
	should be installed and made	
	functional as per KSPCB guidelines.	
	On/site Treatment of Sewage and	
	Sullage should be done will	
	esigntific method ensuring efficiency	
	of treatment, ease in operation,	
	sustainability and it should contain	
	the units of primary, secondary,	
	tertiary and quaternary type of	
	treatment scheme. The installation	
	of the STP should be certified by ar	
	independent expert and a report in	
	this regard should be submitted to	
	this regard should be submitted the	
	the Ministry/SEIAA Solo	네 - 시민과 등 - 스타마인트 등은 시민은 사고보이를 보는 것이다.
	project is commissioned	
	operation.	
	recycled / reused to the maximum	/
	extent possible. Treatment of 1007	0
	grov water shall be done through	a
	departualized treatment. Reuse	
	water shall be practiced for flushing	9
	and darden pulpose	
	Discharge of unused treated enline	III
	shall conform to the norms at	IU
	standards of the Kerala Sta	te
	Standards C. Ca 204 Ha (April'23)	Page



	Pollution Control Board. Necessary	
	measures should be taken to	
	mitigate the odour problem from	
	CTP	n practice and followed.
3	Solid waste management plant shall I	n practice and followed.
3	be installed and made functional as	
	per the guidelines of KSPCB. The	
	solid waste generated should be	
	properly collected and segregated.	
	Wet garbage should be composied	
	and dry/inert solid waste should be	
	disposed of to the approved sites for	
	land filling after recovering	
	latiu minig	
	recyclable material. Adequate measures should be taken to	
	prevent odor problem from solid	
	. I and CIP	
		In practice and followed.
4	Provide adequate Material Collection Facility (MCF) for storage	
	i de aradable Wasie	
	of non-biodegradable waste, including plastic waste and E waste,	
	for handing over the same to	
	Recyclers/ Local Body, as stipulated	
	by Kerala State Pollution Control	
	Board. Diesel power generating sets	Diesel power generators are no
5		
	proposed as source of back-up	
	power for elevators and common	
	area illumination during operation	
	phase should be of enclosed type	
	and conform to rules made under	
	the Environment (Protection) Act,	
	1986. The height of stack of DG sets	
	should be equal to the height	
	needed for the combined capacity of	
	all proposed DG sets.	DG sets are not used in minir
6	Low sulphur diesel shall be used as	
	fuel in DG sets. The location of the	areas.
	DG sets should not be decided in	
	consultation with Kerala State	3
	Pollution Control Board. DG sets	5
	should not be housed in sub	
	basement levels.	



		Naire levels are manitored and
7	Noise should be controlled to ensure	
	that it does not exceed the	
	prescribed standards. During night	
	time, the noise levels measured at	
	the boundary of the building shall be	
	restricted to the permissible levels to	
	comply with the prevalent	
-	regulations.	Plantation of saplings are
8	The green belt of adequate width	
	and density shall be raised	
	preferably with local species along	refilled area.
	the periphery of the project site so	
	as to provide protection against	
	particulate matter and noise.	
9	Weep holes shall be provided in the	It is maintained.
	compound walls to ensure natural	
	drainage of rain water during the	
	monsoon period.	
10		Noted.
10	Rain water Harvesting structures	Noted.
	should be installed as per the	
	prevailing provisions of	
	KMBR/KPBR, unless otherwise	
	specified elsewhere. Rain water	
	harvesting measures for roof run-off	
	and surface run-off, as per pre-	
	treatment must be done to remove	
	suspended matter, oil and grease.	
	The bore-well for rainwater	
	recharging should be kept at least 5	
	m above the highest ground water	
	table.	Martin complete are collected
11	The ground water level and its	Water samples are collected,
	quality should be monitored	analyzed and are monitored, the
	regularly in consultation with State	reports are attached as annexure.
	Ground water Department/central	
	Ground Water Authority.	
12	Traffic congestion near the entry and	In practice and followed.
12	exit points from the roads adjoining	
	the project site must be avoided.	
	Parking should be fully internalized	
	and no public space should be	
	utilized.	
13	A report on the energy conservation	Noted.



	measures, conforming to energy conservation norms issued by Bureau of Energy Efficiency, should be prepared incorporating details about building materials and technology; R & U factors etc. and submit to the Ministry in three months' time.	
4.4	Energy conservation measures like	Energy conservation measures are
14	installation of LED/CFLs/TFLs for the lighting the areas outside the building should be an integral part of the project design and should be in place before project commissioning. Used LEC/CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Solar panels may be used to the extent possible.	implemented.

Study on Ground Water & Ambient Air Monitoring:

We have conducted ambient air monitoring and ground water analysis of the samples from the open wells in the mining area and nearby areas during the period from April 2023 to September 2023. The analysis of the samples were done through M/s Standards Environmental & Analytical Laboratories, Udyogamandal, Emakulam, an NABL accredited laboratory. The results are consolidated below:

Ambient Air Monitoring:

Parameters	KSPCB limit	132 site office	Near Karithura Church	Near Plant no.1 Jetty
Particulate Matter PM10 (ug/m³)	100	69.8	60.2	56.7
Particulate Matter PM2.5 (ug/m³)	60	31.7	25.9	27.4
Sulphur Dioxide	80	<4.00	<4.00	<4.00
(ug/m³) Nitrogen Dioxide	80	<4.00	<4.00	<4.00
(ug/m³) Carbon Monoxide (ug/m³)	4.0	0.59	0.41	0.49

Ground Water Analysis:

	Location				
Parameters	Acceptable limit	Tubewell	Cherucherryb hagom	Excavation pit	
Colour (Hazen)	5.00 (max)	1.00	1.00	1.00	
Odour	Agreeable	Agreeable	Agreeable	Agreeable	
Turbidity (NTU)	1.0	<0.10	<0.10	0.30	
pH	6.5-8.5	6.63	7.43	6.97	
Total Dissolved Solids (mg/L)	500	180	148	167	
Total Hardness (as CaCO3) (mg/L)	200 (max)	68.0	54.0	64.0	
Calcium (as Ca) (mg/L)	75.0 (max)	18.0	10.4	9.20	
Magnesium (as Mg)	30.0 (max)	5.59	5.84	9.97	
Chloride (as CI) (mg/L)	250 (max)	71.0	61.4	68.0	
Iron (as Fe) (mg/L)	1.00 (max)	0.11	0.14	0.20	
Total Coli form Bacteria (MPN/100ml)	Absent/100ml	Absent/100ml	Absent/100ml	Absent/100ml	
Ecoli	Absent/100ml	Absent/100ml	Absent/100ml	Absent/100ml	